


Wireless Color Screen Office IP Phone FIP11WP



Features Key

- Support 32 BLF
- 8 SIP Account
- 2.8 TFT Color Screen
- 2.4G Wireless(Optional)
- 10/100Mbps Ethernet, Support PoE(Optional)

Hardware Interface



Overview

FIP11WP is a new generation of enterprise-class color IP phone, providing convenient communications experience to call a busy corporate office and management personnel. The built-in internal antenna make user connect the network much easier and more quickly, user can not only connect FIP11WP to the network by using a ethernet cable, but also he/ she can connect FIP11WP to the wireless network, the performance is the same as mobile phone. User can connect the wireless network on FIP11WP's LCD or on phone's webpage. FIP11WP excellent HD voice quality, rich and leading edge telephony system functions to provide users with personalized information customization,

support automatic deployment, advanced security protection mechanism, compatible with a wide range of mainstream industry SIP / IM S platform.

Technical Parameters

VoIP SoC	<ul style="list-style-type: none">CPU: MIPS 580Mhz
Flash	<ul style="list-style-type: none">16M Flash
RAM	<ul style="list-style-type: none">64M SDRAM
Power	<ul style="list-style-type: none">AC/DC AdapterAC Input: 100~240V, 50~60HzDC Output: 5V, 1A
Operating System	<ul style="list-style-type: none">Linux 2.6.36
I/O Interfaces	<ul style="list-style-type: none">Support POE(Optional)1xRJ9 Handle1xRJ9 Earphone Jack2xRJ45 Ports (Ethernet 10/100 Base-T)Support Wireless, 2T2R, 802.11n(Optional)
Environmental	<ul style="list-style-type: none">Operation Temperature: 0~50 Degree CStorage Temperature: -25~ 85 Degree CRelative Humidity: 10%~90% No Condensing
Audio Feature	<ul style="list-style-type: none">G.711(A/u)G.722(HD)G.729ABG.723G.726iLBCAdaptive Jitter BufferVoice Activity DetectionComfort Noise GenerationEcho Cancellation
Phone Keys	<ul style="list-style-type: none">13 Function Keys:MENU, MUTE, SMS, HOLD, Volume+/-12 Dialing Buttons (0~9, *, #)8 Programmable Keys32 Multi-function Keys5 Navigate Key
Protocols	<ul style="list-style-type: none">SIP V2 (RFC 3261, 3262, 3263, 3264)RTP/RTCP (RFC 1889 And RFC 1890)NAPTR For SIP URI Lookup (RFC 2915)STUN (RFC 3489)SDP (RFC 2327)ARP/RARP (RFC 826/903)SNTP (RFC 2030)TFTP/HTTP/HTTPS for Auto ProvisioningNS/DNS SRV (RFC 1706 And RFC 2782)IEEE802.1Q VLAN/802.1p/DSCPTR069 (TR104/TR098/TR111)SNMPv2

Place Order

Product Number	Description
FIP11W	2.8 inch wireless color phone
FIP11WP	2.8-inch wireless color phone, with PoE function